

Definitions Syntax

Under Construction

Group

Defines a XINA group.

Property	Value
name	string
desc	string

Database

Defines a XINA database. The `name` and `fields` values are required, and at least one field must be provided. If `label` is not provided it will be the same as `name`.

Property	Value
name	string
label	string (optional)
format	string (optional)
path	string (optional)
desc	string (optional)
dynamic	boolean (optional, default <code>false</code>)
event	boolean (optional, default <code>false</code>)
file	boolean (optional, default <code>false</code>)
link	boolean (optional, default <code>false</code>)
lock	boolean (optional, default <code>false</code>)
log	boolean (optional, default <code>false</code>)
notify	boolean (optional, default <code>false</code>)
subscribe	boolean (optional, default <code>false</code>)
tag	boolean (optional, default <code>false</code>)

Property	Value
track	boolean (optional, default false)
trash	boolean (optional, default false)
wall	boolean (optional, default false)
objects	object (optional)
files	object (optional)
fields	array of fields
blobs	array of blobs (optional)
indexes	array of string values (optional)
databases	array of databases (optional)

Field

Defines a XINA database field. The `name` and `type` are required. If `label` is not provided it will be the same as `name`.

```
{
  "name" : <string>,
  "label" : <string>, (optional)
  "type" : <string>,
  "format" : <string>, (optional)
  "meas" : <string>, (optional)
  "unit" : <string>, (optional)
  "desc" : <string>, (optional)
  "def" : <string>, (optional)
  "ref" : <string>, (optional)
  "key" : <boolean>, (optional, default false)
  "nul" : <boolean>, (optional, default false)
  "strict" : <boolean>, (optional, default false)
  "lock" : <boolean>, (optional, default false)
  "options" : [ <[#Field Option|field option]>, ... ] (optional)
}
```

Field Option

A value option for a field. Regardless of the field type the value here should be a string representation of the actual value.

```
{  
  "value" : <string>,  
  "desc"  : <string> (optional)  
}
```

Blob

Defines a XINA database blob. The `name` is required. If `label` is not provided it will be the same as `name`.

```
{  
  "name"  : <string>,  
  "label" : <string>, (optional)  
  "desc"  : <string>, (optional)  
  "nul"   : <boolean> (optional, default false)  
}
```

Index

Defines an index on one or more columns of a database record table.

Revision #1

Created 9 June 2022 16:29:22 by Nick Dobson

Updated 15 January 2026 20:43:45 by Nick Dobson