

XINA Struct Report

The XINA Struct Report command line utility generates Export and Trend tasks for Profiles and Trend Definitions that are configured to auto generate. It can also optionally generate the XINA Report Email Task. The Export tasks will export the previous days data and the Trend tasks will use the time ranges or intervals as configured in the Trend Definition. The most common use case is to create the XINA Report Task (xina_struct_report) using XINA's internal cron system once per day.

Arguments

Name	Req	Description	Default
cache		Cache directory path. Used for any persistent caching across tasks for optimization purposes.	
conf	?	File path to the JSON config containing the report parameters.	
env	?	File path to the JSON environment file which defines environment parameters such as project specific paths.	
help		Print available options.	
host		XINA Tunnel host.	"localhost"
port		XINA Tunnel port.	41746
import	?	Import directory path. Files that need to be imported will be placed here.	
log	?	File path that log events will be written to.	
out	?	Ouptut directory path. Files placed here will be uploaded and accessible directly from the Task interface (e.g. notifications panel).	
post	?	Post directory path (for post-import outputs) e.g. uploading log files to the Task record.	
task	?	File path to the JSON file containing info about the Task.	
temp	?	Temp directory path for storing temporary files during execution.	

conf

The below table describes the available fields in the `conf` JSON file.

Name	Type	Req	Description	Default
model	utf8text	?	Path of model to generate Export and Trend tasks for e.g. "moma.fm"	
hostname	utf8text	?	The hostname that will be used for creating the URLs to the Export and Trend packages in the email contents e.g. "moma.xina.io"	
email	boolean		If true, the report email task will be generated	true

Example conf:

```
{
  "model": "pace.ops_pace",
  "hostname": "pace.xina.io",
  "email": true
}
```