


# OCI landT

- [Data Flow wrt XINA and ocidataview](#)
- [Data Flow In Depth](#)
- [Raw Capture Process](#)
- [Scope Capture Process](#)

# Data Flow wrt XINA and ocidataview


# Data Flow at OCI I&T from XINA's perspective






# Data Flow In Depth

This diagram shows and describes the lower level details of the XINA data pipeline.



# OCI I&T XINA Web Data Pipeline


OCI



All CCSDS Packets over SpaceWire

## ITOS (Integrated Test and Operations System)

- Provides commanding and telemetry viewing to systems: GSE, instrument, spacecraft, board, etc
- Provides some archiving features
- Command and Telemetry packets are described using the Record Language
- STOL Scripting Language



## FEDS (Front End Data System)

- Receives TLM from all data sources
- Timestamps packets with the Ground Receipt Time. FEDS adds its own headers around the original packet.
- Archives packets with configurable file size or duration (TBC)
- Supports archiving data into different files based on assigned virtual channel
- Allows clients to connect to receive packets in real-time. Each client has a configurable filter file to control data streams the client receives.
- Provides interface to perform playbacks of packets for a given time range
- Supports pass through of CMDs to archive all CMDs

## ocigse

- Connects to FEDS to receives packets over TCP
- Performs any needed processing
- Breaks up packet stream into 10-minute (configurable) files
- Calls `xina_oci_gse` and `xina_import` to import the 10-minute files into XINA

## xina\_oci\_gse

- Creates JSON files to import 10-minute file into XINA and create xina-run task
- JSON format adheres to XINA's API



## xina\_import

- Reads JSON files and performs described actions. For example, import 10-minute file and create xina-run task.
- Needs `xina_tunnel` running to access XINA

## Process Steps


1. Extract markers from 10-minute file
2. **Extract TLM data from 10-minute file (raw packets), calculate binned data. Mnemonic extraction info comes from converted ITOS DB.**
3. Perform any other required processing
4. Delete existing data from XINA DB
5. Import data into XINA DB

## ITOS DB Conversion Process



# Raw Capture Process

## DDC Raw Captures



# Scope Capture Process

## DDC Scope Captures

